

===== MSDS
Safety Information
=====

[TOP](#)

MSDS Date:

MSDS Num:

10/15/1997

CJHTW

Submitter:

Tech Review:

Status CD:

F BT

07/16/1999

A

Product ID:

MFN:

1141-06 GOJO CREME HEAVY DUTY HAND CLEANER

01

Article:

Kit Part:

N

N

Cage:

Responsible Party

02905

Name:

GO-JO INDUSTRIES INC

Box:

991

City:

State:

Zip:

AKRON

OH

44309-0991

Country:

US

Info Phone Number:

216-920-8100

Emergency Phone Number:

216-920-8100 EXT 352

Radioactive Ind:

N

Chemtrec IND/Phone:

(800)424-9300

Proprietary Ind:

N

Review Ind: Y

Published: Y

Special Project CD:

===== Contractor
Summary =====

[TOP](#)

Cage:

Name:

02905

GOJO INDUSTRIES, INC.

Box:

City:

State:

991
Zip:

AKRON

OH

44309-0991

Country:

Phone:

US

330-920-8100 EXT 352

===== Ingredients
=====

[TOP](#)

Cas: 8006-54-0

T

OE3201000

T

Code:

RTECS #:

Code:

Name: LANOLIN

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

N/P

Code: OSHA N/P
STEL:

Code:

ACGIH TLV: N/P

Code: ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 13463-41-7

M

X

Code:

RTECS #:

Code:

Name: ZINC PYRITHIONE

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

N/P

Code: OSHA N/P
STEL:

Code:

ACGIH TLV: N/P

Code: ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

Cas: 64742-88-7

T

X

Code:

RTECS #:

Code:

Name: PARAFFINIC SOLVENT

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

N/P

Code: N/P

Code:

OSHA
STEL:

ACGIH TLV: N/P

Code: ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 7732-18-5

T

ZC0110000

T

Code:

RTECS #:

Code:

Name: WATER

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

N/P

Code: OSHA N/P
STEL:

Code:

ACGIH TLV: N/P

Code: ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 8042-47-5

T

PY8047000

T

Code:

RTECS #:

Code:

Name: MINERAL OIL (AS MIST)

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

5 MG/M3

Code: M OSHA N/P
STEL:

Code:

ACGIH TLV: 5 MG/M3

Code: M ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 68132-47-8

T

X

Code:

RTECS #:

Code:

Name: (TALLATES)

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

N/P

Code: OSHA N/P
STEL:

Code:

ACGIH TLV: N/P

Code: ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 9016-45-9

T

AX0247000

T

Code:

RTECS #:

Code:

Name: (SURFACTANT)

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

N/P

Code: OSHA N/P
STEL:

Code:

ACGIH TLV: N/P

Code: ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 57-55-6

T

TY2000000

T

Code:

RTECS #:

Code:

Name: PROPYLENE GLYCOL

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

N/P

Code: OSHA N/P
STEL:

Code:

ACGIH TLV: N/P

Code: ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 8009-03-8

T

SE6780000

T

Code:

RTECS #:

Code:

Name: PETROLATUM

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

N/P

Code: OSHA N/P
STEL:

Code:

ACGIH TLV: N/P

Code: ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 97-59-6

T

YT1600000

T

Code:

RTECS #:

Code:

Name: ALLANTOIN

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

N/P

Code: OSHA N/P
STEL:

Code:

ACGIH TLV: N/P

Code: ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 8001-97-6

T

BC8055000

T

Code:

RTECS #:

Code:

Name: ALOE EXTRACT

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

N/P

Code: OSHA N/P
STEL:

Code:

ACGIH TLV: N/P

Code: ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 87-89-8

M

X

Code:

RTECS #:

Code:

Name: INOSITOL

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

N/P

Code: OSHA N/P
STEL:

Code:

ACGIH TLV: N/P

Code: ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

Hazards Data

Health

[TOP](#)

LD50 LC50 Mixture

ORAL LD50(LAB ANIMAL): >10 GM/KG

Route Of Entry Inds – Inhalation:N/P

Skin:N/P

Ingestion: YES

Carcinogenicity Inds – NTP:N/P

IARC:N/P

OSHA:N/P

Health Hazards Acute And Chronic

EYES: MAY CAUSE IRRITATION. INGESTION: POSSIBLE ASPIRATION HAZARD.

Explanation Of Carcinogenicity

N/P

Signs And Symptions Of Overexposure

IRRITATION

Medical Cond Aggravated By Exposure

N/P

First Aid

EYES: FLUSH IMMEDIATELY & THOROUGHLY W/WATER FOR 15 MINS. INGESTION: DON'T INDUCE VOMITING. IF VOMITING OCCURS, LOWER THE PERSON'S HEAD BELOW THEIR KNEES TO AVOID ASPIRATION.

Spill Release Procedures

PICK UP/ABSORB ON INERT MATERIAL. COLLECT IN SEALED APPROVED CONTAINER FOR DISPOSAL. FLUSH AREA W/WATER TO CLEAN UP SMALL AMOUNTS & REDUCE POSSIBLE SLIPPERY FLOOR HAZARD.

Neutralizing Agent

N/P

Waste Disposal Methods

DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Handling And Storage Precautions

STORE AT AMBIENT INDOOR CONDITIONS. KEEP CONTAINERS SEALED. STORE AWAY FROM REACH OF SMALL CHILDREN.

Other Precautions

AVOID CONTACT W/EYES. DON'T TAKE INTERNALLY.

===== Fire and
Explosion Hazard Information
=====

[TOP](#)

Flash Point Method:

PMCC

Flash Point: >93.9C, 201.F

Flash Point Text: N/P

Autoignition Temp:

Autoignition Temp Text: N/P

Lower Limits: 1.1

Upper Limits: 6

Extinguishing Media

WATER FOG, ALCOHOL FOAM, CO2, DRY CHEMICAL

Fire Fighting Procedures

WEAR SELF CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard

DENSE SMOKE MAY BE GENERATED BY COMBUSTION W/CO, CO2/OTHER TOXIC FUMES.

=====
Measures ===== Control TOP

Respiratory Protection

NOT REQUIRED IF USED AS DIRECTED.

Ventilation

NOT REQUIRED IF USED AS DIRECTED.

Protective Gloves

NOT REQUIRED

Eye Protection

NOT REQUIRED

Other Protective Equipment

NOT REQUIRED

Work Hygienic Practices

ROUTINE PERSONAL HYGIENE.

Supplemental Safety and Health

N/P

Physical/Chemical Properties

[TOP](#)

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point: =82.2C, 180.F

B.P. Text: N/P

Melt/Freeze Pt:

M.P/F.P Text: N/A

Decomp Temp:

Decomp Text: N/P

Vapor Pres: 10

Vapor Density: 4-5

Volatile Org Content %:

Spec Gravity: 0.88

VOC Pounds/Gallon:

PH: 8.6-9.6

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference: (WATER=1):

Solubility in Water: SLIGHT

Appearance and Odor: WHITE OPAQUE GEL W/PLEASANT ODOR

Percent Volatiles by Volume: 60

Corrosion Rate: N/P

Reactivity Data

[TOP](#)

Stability Indicator:

YES

Stability Condition To Avoid: N/P

Materials To Avoid: N/P

Hazardous Decomposition Products: CO, CO2, NITROGEN OXIDES

Hazardous Polymerization Indicator: NO

=====**Toxicological Information**==== [TOP](#)

Toxicological Information:

NO ACUTE EFFECTS EXPECTED BY INHALATION,
INGESTION/CONTACT DURING ANTICIPATED HANDLING & USAGE.
NO LONG TERM CHRONIC EFFECTS.

=====**Ecological Information**==== [TOP](#)

Ecological:

NOT EXPECTED TO CAUSE ADVERSE ENVIRONMENTAL EFFECTS. NOT CONSIDERED
ENVIRONMENTALLY HARMFUL FROM NORMAL DILUTION, EXPECTED USAGE & TYPICAL
DRAINAGE TO SEWERS, SEPTIC SYSTEMS & TREATMENT PLANTS.

=====**MSDS Transport Information**==== [TOP](#)

Transport Information:

N/A

=====**Regulatory Information**==== [TOP](#)

Sara Title III Information:

N/A

Federal Regulatory Information: N/P

State Regulatory Information: N/P

=====**Other Information**==== [TOP](#)

Other Information:

THE INFORMATION HEREIN IS BASED ON DATA CONSIDERED TO BE
ACCURATE AS OF THE DATE OF PREPARATION OF THIS MATERIAL SAFETY
DATA SHEET. HOWEVER, NO WARRANTY/REPRESENTATION,
EXPRESSED/IMPLIED, IS MADE AS TO THE ACCURACY/COMPLETENESS OF THE
FOREGOING DATA & SAFETY INFORMATION. THE USER ASSUMES ALL
LIABILITY FOR ANY DAMAGE/INJURY RESULTING FROM THE ABNORMAL USE
FROM ANY FAILURE TO ADHERE TO RECOMMENDED PRACTICES/FROM ANY
HAZARDS INHERENT IN THE NATURE OF THE PRODUCT.

=====**HAZCOM Label**==== [TOP](#)

[Print Labels](#)

Product ID:

1141-06 GOJO CREME HEAVY DUTY HAND CLEANER

Cage: 02905

Assigned IND: N

Company Name:

GOJO INDUSTRIES, INC.

Street:

PO Box: 991

City:

AKRON

State: OH

Zipcode: 44309-0991

Country: US

Health Emergency Phone:

216-920-8100 EXT 352

Label Required IND:

Y

Date Of Label Review: 07/16/1999

Status Code: A

MFG Label NO:

Label Date:

Year Procured:

Origination Code:

G

Chronic Hazard IND: N/P

Eye Protection IND: N/P

Skin Protection IND: N/P

Signal Word: N/P

Respiratory Protection N/P
IND:

Health Hazard:

Contact Hazard:

Fire Hazard:

Reactivity Hazard:

Hazard And Precautions

N/P

=====
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.