

===== MSDS  
Safety Information  
=====

[TOP](#)

FSC: 8030 NIIN: 01-047-3584 MSDS Date: 02/03/1992 MSDS Num: BXJWW

Submitter: N EN Tech Review: 03/02/1995 Status CD: C

Product ID: "33" GLAZING MFN: 02

Article: N Kit Part: N

Cage: Responsible Party 90300

Name: DAP INC

Box: 277

City: DAYTON State: OH Zip: 45401-0277

Country: US

Info Phone Number: 513-667-4461

Emergency Phone Number: 800-543-3840

Preparer's Name: N/P

Proprietary Ind: Y Review Ind: N

Published: Y Special Project CD: N

===== Contractor  
Summary  
=====

[TOP](#)

Cage: 90300 Name: DAP INC. Box: 277  
City: DAYTON State: OH Zip: 45401-0277  
Country: US Phone: 513-253-7154/800-543-3840

===== Description Information  
=====

[TOP](#)

Item Manager:

GSA

Item Name: GLAZING COMPOUND,SASH

Specification Number: NK

Type/Grade/Class: NK

Unit of Issue: GL

Quantitative Expression:

UI Container Qty: 0

Type of Container:

Ingredients

[TOP](#)

Cas:

X

X

Code:

RTECS #:

Code:

Name: TRADE SECRET COMPONENT

% Text: N/K

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

N/K (FP N)

Code: M OSHA  
STEL:

Code:

ACGIH TLV: N/K (FP N)

Code: M ACGIH N/P  
STEL:

Code:

EPA Rpt Qty:

DOT  
Rpt  
Qty:

Ozone Depleting Chemical:

Cas:

X

9999999VO

M

Code:

RTECS #:

Code:

Name: VOLATILE ORGANIC COMPOUND, MATERIAL & LESS WATER LESS EXEMPT SOLVENT: 10 G/L

% Text: N/K

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

N/K (FP N)

Code: M OSHA  
STEL:

Code:

ACGIH TLV: N/K (FP N)

Code: M ACGIH N/P  
STEL:

Code:

EPA Rpt Qty:

DOT  
Rpt  
Qty:

Ozone Depleting Chemical:

Hazards Data

Health

[TOP](#)

LD50 LC50 Mixture

NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds – Inhalation:NO

Skin:YES

Ingestion:NO

Carcinogenicity Inds – NTP:NO

IARC:NO

OSHA:NO

Health Hazards Acute And Chronic

ACUTE EFFECTS: NONE KNOWN. CHRONIC EFFECTS: NONE KNOWN.

Explanation Of Carcinogenicity

NOT RELEVANT

Signs And Symptoms Of Overexposure

SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure

NONE KNOWN.

First Aid

EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. CONTACT MD. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. CONTACT MD IMMEDIATELY. INGESTION; DO NOT INDUCE VOMITING. CONTACT MD OR REGIONAL POISON CONTROL CENTER IMMEDIATELY.

Spill Release Procedures

SCRAPE UP DRIED MATERIAL AND PLACE INTO CONTAINERS.

Neutralizing Agent

NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods

DISPOSE OF ACCORDING TO FEDERAL, STATE AND LOCAL STANDARDS. THIS PRODUCT IS NON-HAZARDOUS ACCORDING TO U.S. EPA'S HAZARDOUS WASTE MANAGEMENT REGULATIONS 40 CFR SECTION 261. DO NOT REUSE EMPTY CONTAINER.

Handling And Storage Precautions

STORE AWAY FROM CAUSTICS AND OXIDIZERS. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. KEEP CONTAINERS FROM EXCESSIVE HEAT AND FREEZING.

#### Other Precautions

KEEP OUT OF REACH OF CHILDREN.

### ===== Fire and Explosion Hazard Information ===== [TOP](#)

#### Flash Point Method:

SCC

#### Flash Point:

Flash Point Text: >200F,>93C

#### Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: N/K

Upper Limits: N/K

#### Extinguishing Media

FOAM, WATER, DRY CHEMICALS.

#### Fire Fighting Procedures

USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N). USE WATER SPRAY TO COOL EXPOSED SURFACES.

#### Unusual Fire/Explosion Hazard

NONE KNOWN.

### ===== Control Measures ===== [TOP](#)

#### Respiratory Protection

NOT REQUIRED UNDER NORMAL USAGE AND WITH ADEQUATE VENTILATION. USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).

#### Ventilation

NORMAL ROOM VENTILATION.

#### Protective Gloves

IMPERVIOUS GLOVES (FP N).

#### Eye Protection

ANSI APPROVD CHEM WORKERS GOGGLES (FP N).

Other Protective Equipment

NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices

WASH CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

USERS OF "L" VERSION OF HMIS SHOULD CONSULT "LR" VERSION FOR ADDITIONAL INFORMATION (FP N).

Physical/Chemical Properties

[TOP](#)

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: N/A

Melt/Freeze Pt:

M.P/F.P Text: N/K

Decomp Temp:

Decomp Text: N/K

Vapor Pres: <1 @ 20C

Vapor Density: >1

Volatile Org Content %:  
VOC Pounds/Gallon:

Spec Gravity: 2.2 (H\*2O=1)

PH: N/K

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference:

Solubility in Water: NEGLIGIBLE

Appearance and Odor: COLORED PASTE WITH A MILD ODOR.

Percent Volatiles by Volume: <1

Corrosion Rate: N/K

[TOP](#)

Reactivity Data

Stability Indicator:

YES

Stability Condition To Avoid: EXCESSIVE HEAT AND FREEZING.

Materials To Avoid: STRONG OXIDIZERS AND CAUSTICS.

Hazardous Decomposition Products: NORMAL COMBUSTION PRODUCTS, I.E. CO\*X, NO\*X.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization NOT RELEVANT

Toxicological Information

[TOP](#)

Toxicological Information:

N/P

Ecological Information

[TOP](#)

Ecological:

N/P

MSDS Transport Information

[TOP](#)

Information

Transport Information:

N/P

Regulatory Information

[TOP](#)

Sara Title III Information:

N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information

[TOP](#)

Other Information:

N/P

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.