

=====  
Safety Information  
=====

MSDS

[TOP](#)

FSC: 9150

MSDS Date: 09/14/1987

MSDS Num: BVTHS

Submitter: F BT

LIIN: 00F037203

Tech Review: 10/31/1994

Status CD: C

Product ID: 872 BOILED LINSEED OIL

MFN: 01

Article: N

Kit Part: N

Responsible Party

Cage: 9J570

Name: SUNNYSIDE CORP

Address: 225 CARPENTER AVE

Box: N/K

City: WHEELING

State: IL

Zip: 60090-6009

Country: US

Info Phone Number: 312-541-5700

Emergency Phone Number: 312-541-5700

Preparer's Name: N/P

Proprietary Ind: N

Review Ind: Y

Published: Y

Special Project CD: N

=====  
Preparer  
Co. when other than Responsible Party Co.  
=====

Preparer

[TOP](#)

Cage: 9J570

Assigned Ind: N

Name: SUNNYSIDE CORP

Address: 225 CARPENTER AVE

Box:

City: WHEELING

State: IL

Zip: 60090-6009

=====  
Contractor  
Summary  
=====

Contractor

[TOP](#)

Cage:9J570

Name:SUNNYSIDE CORP

Address:225 CARPENTER AVE

City:WHEELING

State:IL

Zip:60090-6009

Country:US

Phone:847-541-5700

=====  
Ingredients  
=====

Ingredients

[TOP](#)

Cas: 66071-03-2

Code: M

RTECS #:

Code: X

Name: LINSEED OIL, OXIDIZED

% Text: 100

Environmental Wt:

Other REC Limits: N/K

OSHA PEL: N/K

Code: M

OSHA  
STEL:

Code:

ACGIH TLV: N/K

Code: M

N/P

Code:

EPA Rpt Qty:

ACGIH  
STEL:  
DOT Rpt  
Qty:

Ozone Depleting Chemical: N

=====  
----- Health  
-----  
Explosion Hazard Information  
=====

[TOP](#)

LD50 LC50 Mixture N/P

Route Of Entry Inds – Inhalation: YES

Skin: NO

Ingestion: YES

Carcinogenicity Inds – NTP: NO

IARC: NO

OSHA: NO

Health Hazards Acute And Chronic

INHALATION: MILD IRRITATION OF NOSE & THROAT. EYE CONTACT MAY CAUSE REDNESS & TEARING.  
INGESTION: LARGE AMOUNTS MAY CAUSE GI UPSET. SKIN CONTACT: SENSITIVE INDIVIDUAL MAY EXPERIENCE DERMATITIS.

Explanation Of Carcinogenicity

NONE

Signs And Symptons Of Overexposure

INHALATION: MILD IRRITATION OF NOSE & THROAT. EYE CONTACT MAY CAUSE REDNESS & TEARING.  
INGESTION: LARGE AMOUNTS MAY CAUSE GI UPSET. SKIN CONTACT: SENSITIVE INDIVIDUAL MAY EXPERIENCE DERMATITIS.

Medical Cond Aggravated By Exposure

N/K

First Aid

EYES: FLUSH W/CLEAN WATER FOR 15 MINS. SKIN: WASH W/ SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Spill Release Procedures

ADD SAND, SHOVEL/SCOOP INTO DISPOSABLE CONTAINER & HOSE/WASH DOWN AREA. DON'T USE OIL DRI/CLAY BECAUSE OF SPONTANEOUS COMBUSTION POSSIBILITY. SQUEEGEE INTO PICK UP CONTAINER & WASH AREA.

Neutralizing Agent

N/K

Waste Disposal Methods

WASTE MATERIALS, WHICH ARE SUBJECT TO SPONTANEOUS COMBUSTION, SHOULD BE DISPOSED OF BY DISCARDING IN A WATER FILLED CONTAINER/BURNING. ALL RAGS/MOP HEADS USED IN APPLICATION SHOULD BE DISPOSED OF IAW/ LOCAL, STATE & FEDERAL REGULATIONS.

Handling And Storage Precautions

DON'T STORE/MIX W/STRONG OXIDANTS.

Other Precautions

PREVENT REPEATED/PROLONGED SKIN CONTACT.

=====  
----- Fire and  
-----  
Explosion Hazard Information  
=====

[TOP](#)

Flash Point Method: N/P

Flash Point:

Flash Point Text: >200F

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: N/R

Upper Limits: N/R

Extinguishing Media

FOAM, CO2, DRY CHEMICAL, SAND

Fire Fighting Procedures

AVOID USE OF WATER, BUT IF ONLY ALTERNATIVE IMPLEMENT. USE WATER TO KEEP FIRE EXPOSED CONTAINERS COOL.

Unusual Fire/Explosion Hazard

RAGS & WASTE PAPER CONTAINING THIS MATERIAL, MAY HEAT & BURN SPONTANEOUSLY. STORE WIPING RAGS IN METAL CANS W/TIGHT LIDS. DON'T STORE/MIX W/STRONG OXIDANTS.

=====  
Measures ===== Control TOP

Respiratory Protection

NOT NORMALLY REQUIRED.

Ventilation

INTERMITTENT CLEAN AIR EXCHANGES RECOMMENDED, BUT NOT REQUIRED.

Protective Gloves

NEOPRENE RUBBER

Eye Protection

SAFETY GOGGLES/GLASSES

Other Protective Equipment

EYE WASHES & SAFETY SHOWERS

Work Hygienic Practices

N/K

Supplemental Safety and Health

N/K

=====  
Physical/Chemical Properties TOP

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: >300F

Melt/Freeze Pt:

M.P/F.P Text: N/K

Decomp Temp:

Decomp Text: N/K

Vapor Pres: N/K  
Volatile Org Content %:

Vapor Density: >1  
Spec Gravity: N/K

VOC Pounds/Gallon:  
VOC Grams/Liter:

PH: N/K  
Viscosity: N/P

Evaporation Rate & Reference: SLOWER THAN ETHER  
Solubility in Water: NEGLIGIBLE  
Appearance and Odor: CLEAR AMBER COLORED LIQUID W/MILD ODOR.

Percent Volatiles by Volume: NONE  
Corrosion Rate: N/K

=====  
Data Reactivity [TOP](#)  
=====

Stability Indicator: YES

Stability Condition To Avoid: N/K

Materials To Avoid: OXIDIZING MATERIALS

Hazardous Decomposition Products: CO, CO2

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization N/K

=====  
Toxicological Information [TOP](#)  
=====

Toxicological Information:N/P

=====  
Ecological Information [TOP](#)  
=====

Ecological: N/P

=====  
Transport Information MSDS [TOP](#)  
=====

Transport Information:N/P

=====  
Regulatory Information [TOP](#)  
=====

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

=====  
Other Information [TOP](#)  
=====

Other Information: N/P

information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.