

Syngenta Crop Protection, LLC Post Office Box 18300 Greensboro, NC 27419

In Case of Emergency, Call 1-800-888-8372

1. PRODUCT IDENTIFICATION

Product Name:	CALLISTO	Product No.:	A12738A
EPA Signal Word:	Caution		
Active Ingredient(%):	Mesotrione (40.0%)	CAS No.:	104206-82-8
Chemical Name:	2-[4-(methylsulfonyl)-2-nitrobenzoyl]-1,3-cyclohexanedione		
Chemical Class:	Benzoylcyclohexanedione Herbicide		

EPA Registration Number(s): 100-1131

Section(s) Revised: 11

2. HAZARDS IDENTIFICATION

Health and Environmental

Causes mild eye and skin irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Hazardous Decomposition Products

Not Available

Physical Properties

Appearance: Beige to tan liquid

Odor: Faint; pleasant

Unusual Fire, Explosion and Reactivity Hazards

Flammable hydrogen gas may be formed on contact with incompatible metals. See "Conditions to Avoid", Section 10.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen
Ethylene Glycol (< 15%)	Not Established	100 mg/m ³ (ceiling) [aerosol]	Not Established	No
Mesotrione (40.0%)	Not Established	Not Established	10 mg/m ³ TWA ***	No

*** Syngenta Occupational Exposure Limit (OEL)

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications. Syngenta Hazard Category: B

4. FIRST AID MEASURES

Have the product container, label or Material Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison contol center or doctor, or going for treatment.

Ingestion:	If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Eye Contact:	If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
Skin Contact:	If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
Inhalation:	If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Notes to Physician

There is no specific antidote if this product is ingested.

Treat symptomatically.

Medical Condition Likely to be Aggravated by Exposure

Not Available

5. FIRE FIGHTING MEASURES

Fire	and	Ext	olosion

Flash Point (Test Method):	$> 200^{\circ}F$	
Flammable Limits (% in Air):	Lower: Not Applicable	Upper: Not Applicable
Autoignition Temperature:	Not Available	
Flammability:	Can burn in fire, releasing toxic va	pors.

Unusual Fire, Explosion and Reactivity Hazards

Flammable hydrogen gas may be formed on contact with incompatible metals. See "Conditions to Avoid", Section 10.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

In Case of Fire

Use dry chemical, foam or CO2 extinguishing media. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.

6. ACCIDENTAL RELEASE MEASURES

In Case of Spill or Leak

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Spray solutions of this product should be mixed, stored and applied using only plastic, plastic-lined steel, stainless steel or fiberglass/plastic containers. Concentrate should not be stored or maintained in long-term contact with galvanized steel, carbon steel, aluminum, brass or cast iron.

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Ingestion:	Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.
Eye Contact:	Where eye contact is likely, use chemical splash goggles.
Skin Contact:	Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.
Inhalation:	A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH approved respirator with any N, R, P or HE filter.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Beige to tan liquid
Odor:	Faint; pleasant
Melting Point:	Not Available
Boiling Point:	Not Available
Specific Gravity/Density:	1.2 g/ml ; 10 lbs/gal @ 68°F (20°C)
pH:	2.4 - 2.8 @ 68°F (20°C)
Solubility in H2O	
Mesotrione :	160 mg/l @ 68°F (20°C) (99.7% pure)
Vapor Pressure	
Mesotrione :	< 4.3 x 10(-8) mmHg @ 68°F (20°C)
Boiling Point: Specific Gravity/Density: pH: <u>Solubility in H2O</u> Mesotrione : <u>Vapor Pressure</u>	Not Available 1.2 g/ml ; 10 lbs/gal @ 68°F (20°C) 2.4 - 2.8 @ 68°F (20°C) 160 mg/l @ 68°F (20°C) (99.7% pure)

10. STABILITY AND REACTIVITY

Stability: Hazardous Polymerization:	Stable under normal use and storage conditions. Will not occur.
Conditions to Avoid:	Spray solutions of this product should be mixed, stored and applied using only plastic, plastic-lined steel, stainless steel or fiberglass/plastic containers. Concentrate should not be stored or maintained in long-term contact with galvanized steel, carbon steel, aluminum, brass or cast iron.
Materials to Avoid:	See "Conditions to Avoid", Section 10.
Hazardous Decomposition Products:	Not Available

11. TOXICOLOGICAL INFORMATION

Acute Toxicity/Irritation	Studies (Finished Product)	
Ingestion:		
	Oral (LD50 Rat) :	> 5000 mg/kg body weight
Dermal:		
	Dermal (LD50 Rat) :	> 5000 mg/kg body weight
Inhalation:		
	Inhalation (LC50 Rat) :	> 5.19 mg/l air - 4 hours
Eye Contact:	Mildly Irritating (Rabbit)	
Skin Contact:	Slightly Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

Reproductive/Developmental Effects

Mesotrione : Not a reproductive hazard.

Chronic/Subchronic Toxicity Studies

Mesotrione : Animal studies showed evidence of reduced bodyweight gain, increased liver and kidney weights, blood effects (polycythemia, reduced white blood cell count) and eye effects (keratitis). No known neurotoxic effects based on animal studies.

Carcinogenicity

Mesotrione : Not carcinogenic in animal studies. Not mutagenic.

Other Toxicity Information None

Toxicity of Other Components

Ethylene Glycol (<15%)

Test results reported in Section 11 for the final product take into account any acute hazards related to the ethylene glycol in the formulation.

Target Organs

Active Ingredients Mesotrione : Eye Inert Ingredients Ethylene Glycol: Not Applicable

12. ECOLOGICAL INFORMATION

Ecotoxicity Effects

Mesotrione : Fish (Rainbow Trout) 96-hour LC50 > 114 ppm Green Algae 5-day EC50 1.9 ppm Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 840 ppm Bird (Bobwhite Quail) 14-day LD50 > 2000 mg/kg

Environmental Fate

Mesotrione :

The information presented here is for the active ingredient, mesotrione. Not persistent in soil. Stable in water. Moderate mobility in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

<u>Disposal</u>

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification Ground Transport - NAFTA

Product Name: CALLISTO

Not regulated.

Comments

Water Transport - International Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Mesotrione), Marine Pollutant Hazard Class: Class 9 Identification Number: UN 3082 Packing Group: PG III

Air Transport Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Mesotrione) Hazard Class: Class 9 Identification Number: UN 3082 Packing Group: PG III

15. REGULATORY INFORMATION

EPCRA SARA Title III Classification

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: Ethylene Glycol (< 15%) (CAS No. 107-21-1)

California Proposition 65

This product does not contain chemical(s) known to the State of California to cause cancer and birth defects or other reproductive harm.

CERCLA/SARA 304 Reportable Quantity (RQ)

Report product spills > 3260 gal. (based on ethylene glycol [RQ = 5000 lbs.] content in the formulation) (CERCLA)

RCRA Hazardous Waste Classification (40 CFR 261)

Not Applicable

TSCA Status

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings		HMIS Hazard Ratings		0	Minimal
Health:	2	Health:	1	1	Slight
Flammability:	1	Flammability:	1	2	Moderate
Instability:	0	Reactivity:	0	3	Serious
i i i i i i j	-			4	Extreme

For non-emergency questions about this product call:

		1-800-334-9481		
Original Issued Date: Revision Date:	11/26/2000 11/7/2012	Replaces:	3/9/2012	

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. End of MSDS