## MATERIAL SAFETY DATA SHEET (MSDS)

\_

## TRADE NAME: LAZER SHINE GLASS CLEANER #BT 016

SECTION I – IDENTIFICATION  COMPANY NAMEEPIC INDUSTRIES  COMPANY ADDRESS1007 JERSEY AVENUE							
TELEPHONE NUMBER							
EMERGENCY PHONE #	1 (800) 255–3924 СНЕМ	I–TEL, INC.					
PRODUCT HAZARD RATINGS: H	EALTH = 1, $FIRE = 0$ , $REA$	ACTIVITY = 0					
PROTECTIVE EQUIPMENT: B(H	MIG)						
RATING LEGEND: 4 = EXTREME	, 3 = SERIOUS, 2 = MODER	RATE, 1 = SLIGHT,	0 = MINI	MAL			
	SECTION II -	- HAZARDOUS INC	REDIEN	TS			
HAZARDOUS COMPONENTS	HAZARDOUS %	TLV(UNITS)	PEL	CAS#			
ISOPROPYL ALCOHOL PPM 400 67-60-0	<10	400					
2 – BUTOXETHANOL PPM 25 111–76–2	<5	25					
NON HAZARDOUS INGREDIENTS	S BAL.						
UNIDENTIFIED INGREDIENTS AI (29 CFR 1910.1200)	RE NOT CONSIDERED HA	ZARDOUS UNDER	THE FEI	DERAL HAZA	RD COM	IMUNICATIO	ON STANDARD
SECTION 313 SUPPLIER NOTIFIC	======================================	=======================================	======	=======			
THIS PRODUCT CONTAINS THE DOF THE EMERGENCY PLANNING	FOLLOWING <u>TOXIC</u> CHE GAND COMMUNITY RIGH	EMICALS SUBJECT HT TO KNOW ACT	TO THE OF 1986	REPORTING AND 40 CFR 3	REQUIR 72:	REMENTS OF	SECTION 313
CAS# CHEMIC	CAL NAME	PERCENT BY WE	IGHT				
67-63-0 ISOPRO	OPYL ALCOHOL	8.0					
	SECTIO	======= ON III – PHYSICAL	DATA	<del></del>			
BOILING POINT (F)212 (F)NA		FREEZING PO	 NT				
VOLATILITY/VOL (%)>90		VAPOR					

SOLUBILITY IN H2OCOMP	LETE	SPECIFIC GRAVITY (H2O=1) .990
EVAPORATION RATE (BuAc=1) pH>10		
APPEARANCE/ODORCLEA	R LIGHT BLUE LIQUID; ALCOI	HOL/AMMONIA ODOR
	SECTION IV – FIRE A	ND EXPLOSION HAZARD DATA
FLASH POINTNONE LO EXTINGUISH MEDIA FOR FIRE UNUSUAL FIRE HAZARD	USE MEDIA SUITABLE FOR S NO SPECIAL PROCEDURES RE NONE KNOWN.	URROUNDING MATERIALS.
		HEALTH HAZARD DATA

OVEREXPOSURE EFFECTS: RESPIRATORY IRRITATION. HIGH CONCENTRATIONS MAY PRODUCE HEADACHE, DIZZINESS, AND NAUSEA. PROLONGED OR REPEATED SKIN CONTACT MAY LEAD TO DRYING, IRRITATION AND DERMATITIS. POSSIBLE SKIN ABSORPTION. EYE CONTACT CAUSES BURNING AND IRRITATION. THIS PRODUCT CONTAINS 2-BUTOXYETHANOL, WHICH HAS CAUSED LIVER AND KIDNEY DAMAGE AND HEMOLYTIC ANEMIA IN TEST ANIMALS.

PAGE 2 -- LAZER SHINE GLASS CLEANER #BT

016

#### FIRST AID PROCEDURES:

 $\underline{\text{EYES}}\textsc{:}$  IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES WHILE HOLDING THE EYELIDS OPEN. GET PROMPT MEDICAL ATTENTION.

SKIN: IMMEDIATELY REMOVE CONTAMINATED CLOTHING; WASH SKIN WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. GET PROMPT MEDICAL ATTENTION.

INHALATION: MOVE VICTIM TO FRESH AIR. GET PROMPT MEDICAL ATTENTION.
INGESTION: CONTACT LOCAL POISON CENTER OR PHYSICIAN IMMEDIATELY!!
SECTION VI – REACTIVITY DATA
STABILITYNORMALLY STABLE
INCOMPATIBLE MATERIALSSTRONG OXIDIZERS, STRONG ACIDS.
DECOMPOSITION PRODUCTSCARBON MONOXIDE, CARBON DIOXIDE
SECTION VII – SPILL OR LEAK PROCEDURE
PROCEDURESWEAR PERSONAL PROTECTIVE EQUIPMENT (SEE SECTION VIII). CLEAN UP WITH ABSORBENT MATERIAL.
WASTE DISPOSAL METHODDISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.
SECTION VIII – SPECIAL PROTECTION
RESPIRATORY PROTECTION: NOT NORMALLY REQUIRED. IF TLV IS EXCEEDED OR FOR SYMPTOMS OF OVEREXPOSURE WEAR NIOSH APPROVED DUST/MIST RESPIRATOR.
EYEWEAR: IF SPLASH POTENTIAL EXISTS, WEAR CHEMICAL GOGGLES.
VENTILATION: LOCAL EXHAUST MAY BE NECESSARY UNDER SOME HANDLING/USE CONDITIONS. SPECIFIC NEEDS SHOULD BE ADDRESSED BY SUPERVISORY OR HEALTH/SAFETY PERSONNEL.
CLOTHING/PROTECTIVE GLOVES: WEAR NEOPRENE OR OTHER CHEMICAL RESISTANT GLOVES AND CLOTHING AS NEEDED TO PREVENT SKIN CONTACT.
SECTION IX – SPECIAL PRECAUTIONS

STORE IN CLOSED CONTAINER.

APPROVAL LAURENCE Y. LIOU TECHNICAL DIRECTOR 2/26/02

NAME TITLE DATE

THE INFORMATION CONTAINED HEREIN HAS BEEN DEVELOPED BASED UPON CURRENT AVAILABLE SCIENTIFIC DATA. NEW INFORMATION MAY BE DEVELOPED FROM TIME TO TIME WHICH MAY RENDER THE CONCLUSION OF THIS REPORT OBSOLETE. THEREFORE, NO WARRANTY IS \EXTENDED AS TO APPLICABILITY OF THIS INFORMATION TO THE USERS INTENDED PURPOSE OR FOR THE CONSEQUENCES OF ITS USE OR MISUSE.

NA – NOT APPLICABLE

NE – NOT ESTABLISHED

UN – UNAVAILABLE