

===== MSDS  
Safety Information  
=====

[TOP](#)

FSC: 8030 MSDS Date: 05/01/1990 MSDS Num: BRFIG

Submitter: N EN LIIN: 00N038719 Tech Review: 01/18/1993 Status CD: C

Product ID: LEVEL BEST FLOOR LEVELER MFN: 01

Article: N Kit Part: N

Cage: 86885  
Responsible Party

Name: SAVOGRAN

Box: 130

City: NORWOOD State: MA Zip: 02062

Country: US

Info Phone Number: 617-762-5400

Emergency Phone Number: 617-762-5400

Radioactive Ind: N

Preparer's Name: N/P

Proprietary Ind: N Review Ind: N

Published: Y Special Project CD: N

===== Contractor  
Summary =====

[TOP](#)

Cage: 86885 Name: SAVOGRAN Box:  
Address: UNKNOWN City: UNKNOWN State: MA Zip: 130  
NORWOOD Country: US Phone: MA 02062  
US 617-762-5400

===== Ingredients  
=====

[TOP](#)

Cas: 7778-18-9

M

WS6920000

M

Code:

RTECS #:

Code:

Name: SULFURIC ACID, CALCIUM SALT; (CALCIUM SULFATE HEMIHYDRATE)

% Text: >85

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

15MG/M3 TDUST;5RESP

Code: M OSHA STEL:

Code:

ACGIH TLV: 10 MG/M3 TDUST

Code: M ACGIH N/P STEL:

Code:

EPA Rpt Qty:

DOT Rpt Qty:

Ozone Depleting Chemical:

N

=====  
----- Hazards Data ----- Health  
-----  
=====

[TOP](#)

LD50 LC50 Mixture

NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds – Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Inds – NTP: NO

IARC: NO

OSHA: NO

Health Hazards Acute And Chronic

ACUTE: EYES: PARTICLES MAY CAUSE IRRITATION. SKIN: MAY DRY SKIN. MAY DEVELOP SUFFICIENT HEAT TO CAUSE BURNS IF A LARGE MASS, SUCH AS A CAST OF A HAND/ARM, IS KEPT IN CONTACT W/SKIN WHILE HARDENING. INHA L: BREATHING OF DUST MAY CAUSE IRRITATION TO NOSE, THROAT/UPPER RESPIRATORY SYSTEM. INGEST: INGEST CAN (EFTS OF OVEREXP)

Explanation Of Carcinogenicity

NOT RELEVANT

Signs And Symptoms Of Overexposure

HEALTH HAZARDS: CAUSE OBSTRUCTION. CHRONIC: EYES/SKIN: NO CHRONIC EFFECTS EXPECTED. INHALATION: WHEN USED AS INTENDED, NO CHRONIC EFFECTS EXPECTED.

Medical Cond Aggravated By Exposure

NONE SPECIFIED BY MANUFACTURER.

First Aid

WASH THOROUGHLY WITH SOAP AND WATER. THORO LAUNDER CONTAMD CLTHG BEFORE REUSE. IF IRRIT & RED PERSISTS, SEE PHYS. EYE: FLOOD W/PLENTY OF WATER W/LIDS OPEN FOR @ LST 15 MIN & GET MED ATTN PROMPTLY. INH AL: REMOVE TO FRESH AIR. IF BRTHG IS DFCLT, GIVE OXYGEN. IF BRTHG HAS STOPPED, START ARTF RESP. CALL PHYS IMMED. INGEST: KEEP WARM AND QUIET AND GET MEDICAL ATTENTION. SEE PHYSICIAN.

#### Spill Release Procedures

SM SPILLS: SWEEP UP MATERIAL AND TRANSFER TO CONTAINERS. REMAINING RESIDUE MAY BE WASHED AWAY W/WATER. LG SPILLS: SAME AS SMALL SPILL.

#### Neutralizing Agent

NONE SPECIFIED BY MANUFACTURER.

#### Waste Disposal Methods

THIS MATERIAL CAN BE DISPOSED OF AS AN INERT SOLID IN A LANDFILL OR BY OTHER PROCEDURES WHICH ARE ACCEPTED UNDER FEDERAL, STATE AND LOCAL REGULATIONS.

#### Handling And Storage Precautions

STORE IN COOL PLACE-OUT OF HOT SUN AND BELOW 100F. MOISTURE CAN CAUSE CAKING.

#### Other Precautions

EMPTIED CONTAINERS MAY RETAIN PRODUCT RESIDUES (E.G., SOLIDS); THEREFORE, ALL PRECAUTIONS GIVEN IN THIS SHEET MUST BE OBSERVED.

### Explosion Hazard Information Fire and [TOP](#)

Flash Point Method:

N/P

Flash Point:

Flash Point Text: NOT APPLICABLE

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: N/A

Upper Limits: N/A

#### Extinguishing Media

NONFLAMMABLE. MEDIA SUITABLE FOR SURROUNDING FIRE (FP N).

#### Fire Fighting Procedures

WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N).

Unusual Fire/Explosion Hazard

NONE.

Measures Control [TOP](#)

Respiratory Protection

NIOSH/MSHA APPROVED DUST RESPIRATOR.

Ventilation

PROVIDE SUFFICIENT MECH (GEN &/OR LOC EXHAUST) VENT TO MAINTAIN EXPOS BELOW LEVEL OF OVEREXPOSURE.

Protective Gloves

IMPERVIOUS GLOVES (FP N).

Eye Protection

CHEMICAL WORKERS GOGGLES (FP N).

Other Protective Equipment

TO PREVENT REPEATED OR PROLONGED SKIN CONTACT, WEAR IMPERVIOUS CLOTHING AND BOOTS.

Work Hygienic Practices

NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

Physical/Chemical Properties [TOP](#)

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: SOLID

Melt/Freeze Pt:

M.P/F.P Text: 2642F,1450C

Decomp Temp:

Decomp Text: N/K

Vapor Pres: N/A

Vapor Density: N/A

Volatile Org Content %:  
VOC Pounds/Gallon:

Spec Gravity: 2.6–3.2(H\*2O=1)

PH: N/K

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference: NOT APPLICABLE

Solubility in Water: 0.2%

Appearance and Odor: LIGHT COLORED SOLID.

Percent Volatiles by Volume: N/A

Corrosion Rate: N/K

Reactivity Data

[TOP](#)

Stability Indicator:

YES

Stability Condition To Avoid: NONE.

Materials To Avoid: ACIDS.

Hazardous Decomposition Products: MAY FORM TOXIC MATERIALS: CARBON DIOXIDE,  
CARBON MONOXIDE, ABOVE 1450C–SO\*2 CAO

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization NOT RELEVANT

Toxicological Information

[TOP](#)

Toxicological Information:

N/P

Ecological Information

[TOP](#)

Ecological:

N/P

MSDS Transport

[TOP](#)

Information

Transport Information:

N/P

Sara Title III Information:

N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information:

N/P

[Print Labels](#)

Product ID:

LEVEL BEST FLOOR LEVELER

Cage: 86885

Assigned IND: N

Company Name:

SAVOGRAN

Street: UNKNOWN

PO Box: 130

City:

NORWOOD

State: MA

Zipcode: 02062

Country: US

Health Emergency Phone:

617-762-5400

Label Required IND:

Y

Date Of Label Review: 01/14/1993

Status Code: C

MFG Label NO:

Label Date: 01/14/1993

Year Procured:

Origination Code:

G

Chronic Hazard IND: N

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: WARNING

Respiratory Protection YES  
IND:

Health Hazard:

Slight

Contact Hazard: Moderate

Fire Hazard:

None

Reactivity Hazard: None

**Hazard And Precautions**

ACUTE: SKIN CONTACT MAY DRY SKIN. MAY DEVELOP SUFFICIENT HEAT TO CAUSE BURNS IF A LARGE MASS IS KEPT IN CONTACT WITH SKIN WHILE HARDENING. INGESTION CAN CAUSE OBSTRUCTION. INHALATION MAY CAUSE IRRITATION TO THE NOSE, THROAT, OR UPPER RESPIRATORY TRACT. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

=====  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.