

Meguiar's USA 17991 Mitchell South Irvine, CA 92614 Tel: 949-752-8000

Fax: 949-752-5784

In case of emergency or spill, contact CHEMTREC at 800-424-9300

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product Name: M26 - Hi-Tech Yellow Wax

Print date: 09/28/2005

Reference Number: 18-111D

Prepared Date: 02/28/2005

Use of the Substance/Preparation

Recommended use:

Wax emulsion.

Company/Undertaking Identification

Meguiar's Holland

Laan der Verenigde Naties 40

33174 DA Dordrecht

Holland

Tel: 31-78-6210268

Meguiar's Hong Kong

Suite 6-7, 20/F Marina House 79 avenue Edouard Vaillant

68 Hing Man Street

Shaukeiwan

Hong Kong

Tel: 852-2967-0202

Meguiar's France

92100 BOULOGNE

France

Tel: 33-1-46-10-47-81

Meguiar's UK Ltd.

14 Cottesbrooke Park

Heartlands

Daventry NN11 5YL Tel: 0870 241 6696 Fax: 01327 300 116

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature of the preparation

Components	CAS#	% Weight	OSHA PEL TWA	EINECS No.	Classification
Isoparaffinic Hydrocarbon	64742-47-8	5-15	None	265-149-8	Xn; R65
Calcined Kaolin Clay	66402-68-4	1-5	10mg/m ³	266-340-9	Xi; R38
Isoparaffinic Hydrocarbon	64742-48-9	5-15	None	265-150-3	Xn; R-65
Hydrotreated Distillate	64742-46-7	5-10	None		R65

3. HAZARDS IDENTIFICATION

Most important hazards:

Harmful if swallowed. This product contains chemicals listed on Canada WHMIS.

See Section 15.

4. FIRST AID MEASURES

General Advice:

In the case of accident or if you feel unwell, seek medical advice immediately (show

the label where possible).

Inhalation:

Avoid breathing vapors or mists. Move to fresh air. Consult a physician.

Skin contact:

Wash off immediately with soap and plenty of water. If skin irritation persists, call a

physician.

Eye contact:

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. Consult a physician.

5. FIRE-FIGHTING MEASURES

NFPA:

Health: 1

Flammability: 1

Reactivity: 0

Suitable extinguishing media:

Use dry chemical, CO2, water spray or alcohol-resistant foam.

Specific hazards:

Heating can release hazardous gases.

Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons:

Not applicable

Specific methods:

Not applicable

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Ensure adequate ventilation.

Environmental precautions:

Do not contaminate surface water. Prevent further leakage or spillage.

Methods for cleaning up:

Wipe up with absorbent material (e.g. cloth, fleece). Dispose of contaminated material as waste according to item 13. See section 7 for information on safe

handling.

7. HANDLING AND STORAGE

Handling:

Technical measures/precautions:

Use only in area well ventilated area.

Safe handling advice:

Keep away from sources of ignition - no smoking.

Storage:

Store at room temperature in the original container. Keep away from direct sunlight. Keep away from heat. Do not freeze.

Incompatible products:

Do not store together with acids or oxidizers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce Ensure adequate ventilation.. exposure:

Respiratory protection:

Ensure good ventilation. In case of insufficient ventilation wear suitable respiratory

equipment.

Skin and body protection:

No special precautions required...

Eye protection:

Avoid contact with eyes. If splashes are likely to occur, wear: Goggles

Hand protection:

Preventive skin protection: Neoprene Gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Appearance: Color: Amber Liquid

Physical state: Liquid

Odor: Sweet

Important Health Safety and Environmental Information

pH @70° F:

8.50

Flash point:

>200 (°F), 93 (°C) Method: PMCC-ASTM D93-90

Boiling point/range:

390 (°F), 199 (°C) Moderately soluble

Water Solubility: Vapor density:

Moderately

Evaporation rate:

<1

VOC content: Specific gravity: 15% max. 0.98

10. STABILITY AND REACTIVITY

Stability:

Stable under recommended storage conditions.

Polymerization:

None under normal processing.

Conditions to avoid:

Extremes of temperature and direct sunlight

Materials to avoid:

Strong acids and strong bases. Strong oxidizing agents.

Strong alkalis.

Hazardous decomposition products:

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Component Information

Additional Information:

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product Information

Aquatic toxicity:

No information available

Component Information

Ecotoxicity effects:

Not determined

Components	Ecotoxicity - Freshwater Algae	Exotoxicity - Microtox	
Calcined Kaolin Clay 66402-68-4	= 30 ug/L 96 Hr EC50 freshwater algae (Selenastrum		
	capricornutum)		

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

Contaminated packaging:

Disposal must be made according to local and federal regulations.

Ewc waste disposal no:

Not applicable

Further information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

14. TRANSPORT INFORMATION

General Transportation Statement

This product does not require classification by DOT, IATA, ICAO or IMDG.

Other information:

The description shown may not apply to all shipping situations. Consult 49CFR, or appropriate Dangerous Goods Regulations, for additional description requirements and mode-specific or quantity-specific shipping requirements.

15. REGULATORY INFORMATION

Components	TSCA	DSL/NDSL	Canada - WHMIS Classification
Isoparaffinic Hydrocarbon 64742-47-8	Present	Present	
Calcined Kaolin Clay 66402-68-4	Present	Present	B4;D2B
Isoparaffinic Hydrocarbon 64742-48-9	Present	Present	
Hydrotreated Distillate 64742-46-7	Present	Present	

CERCLA/SARA 313 Emission reporting

None

16. OTHER INFORMATION

Prepared by:

Health & Safety

Literary reference:

None

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist