June 04, 2009 Page 1 of 5

MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTICATION

PRODUCT NAME Marvel Mystery Oil

PRODUCT CODE MM003, MM007, MM08, MM010, MM011,

MM012R, MM12R, MM013R, MM13R, MM014R, MM14R, MM014R, MM014R, MM015, MM016, MM017, MM018

MM14R, MM015, MM016, MM017, MM018,

MM613

CHEMICAL FAMILY Petroleum Distillates

CHEMICAL NAME Complex Mixture of Hydrocarbons

FORMULA Mixture

MANUFACTURER EMERGENCY TELEPHONE NUMBERS

Marvel Oil Company, Inc Transportation:

625 Willowbrook Centre Parkway CHEMTREC: 800-424-9300

Willowbrook, IL 60527 Medical:

Phone: 630-455-3866 ROCKY MTN POISON CTR: 800-332-3073

Fax: 630-455-3868

2. POSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS NUMBER	CONCENTRATION (wt %)
Naphthenic Hydrocarbons	64742-52-5	70 – 80
Mineral Spirits	08052-41-3	20 – 30
Chlorinated Hydrocarbons	00095-50-1	0 – 1

EXPOSURE LIMITS 8 hrs. TWA(ppm)

	OSHA PEL	ACGIH TLV
Naphthenic Hydrocarbons	5 as oil mist	5 as oil mist
Mineral Spirits	100	100
Chlorinated Hydrocarbons	25	25

3. <u>HAZARDS IDENTIFICATION</u>

POTENTIAL HEALTH EFFECTS

INHALATION: Can cause nasal and respiratory irritation, dizziness, weakness, fatigue, nausea, headache, possible unconsciousness and even asphyxiation.

INGESTION: Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs can cause pneumonitis which can be fatal.

SKIN CONTACT: Prolonged or repeated contact can cause moderated irritation, defatting or dermatitis.

June 04, 2009 Page 2 of 5

EYE CONTACT: Can cause severe irritation, redness, tearing or blurred vision.

4. FIRST AID MEASURES

EYE: Flush with large amounts of water, lifting upper and lower eyelids occasionally. Get medical attention.

SKIN: Thoroughly was exposed area with soap and water. Remove contaminated clothing. Launder before re-use.

INHALATION: Remove person to fresh air. If breathing difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm and quiet. Call a physician.

INGESTION: Do not induce vomiting. Keep person quiet and warm. Get medical attention. Aspiration of material into lungs can cause chemical pneumonitis which can be fatal.

5. <u>FIRE FIGHTING MEASURES</u>

FLASH POINT: 128 ° F (53 ° C) TCC

EXTINGUISHING MEDIA: Carbon dioxide, dry chemical, foam.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus with full facepiece operated with positive pressure-demand when fighting large fires.

6. ACCIDENTIAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Ventilate area. Remove sources of ignition. Prevent entry into sewers and waterways. Pick up free liquid for recycle and/or disposal. Absorb small amounts on inert material for disposal.

7. <u>HANDLING AND STORAGE</u>

STORAGE TEMPERATURE (MIN./MAX.): -40 ° F (-40 ° C)/ 120 ° F (49 C)

SHELF LIFE: 3 years minimum when the original container is kept tightly closed and properly stored.

SPECIAL SENSITIVITY: None.

HANDLING AND STORAGE PRECAUTIONS: Empty containers may be dangerous since fumes may still exist. Observe precautions given for this product as stated in this document.

8. <u>EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

EYE PROTECTION REQUIREMENTS: Splash goggles.

SKIN PROTECTION REQUIREMENTS: Wear chemically resistant gloves.

RESPIRATOR/VENTILATION REQUIREMENTS: Provide sufficient ventilation to avoid exposure levels above the established TLV's.

EXPOSURE LIMITS: Not established for product as whole.

Mineral Spirits NIOSH 100 ppm TWA

Oil Mist OSHA 5 mg/m3

June 04, 2009 Page 3 of 5

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: Thin liquid

COLOR: Red

ODOR: Wintergreen

BOILING POINT: Not determined

MELT / FREEZE POINT $-60 \degree F (-51 \degree C)$

PH: Not applicable

SOLUBILITY IN WATER: Insoluble

SPECIFIC GRAVITY: 0.876 @ 60 ° F (15.6 ° C)

% VOLATILE BY WEIGHT: 25 %

VAPOR PRESSURE: Not determined

VAPOR DENSITY: Not determined

10. REACTIVITY

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITIES: Strong oxidizing agents.

DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide and hydrocarbons.

11. TOXICOLOGICAL INFORMATION

ACUTE INHALATION: Aspiration into lungs can cause pneumonitis which can be fatal.

CHRONIC INHALATION: Not determined.

ACUTE SKIN CONTACT: Prolonged or repeated contact can cause moderate irritation, defatting or

dermatitis.

CHRONIC SKIN CONTACT: Not determined.

ACUTE EYE CONTACT: Can cause severe irritation, redness, tearing or blurred vision.

12. <u>ECOLOGICAL INFORMATION</u>

No data available.

13. <u>DISPOSAL CONSIDERATIONS</u>

Ignitable hazardous waste, EPA Hazardous Waste Number D001

WASTE DISPOSAL METHOD: Dispose of product in accordance with all local, state and federal laws and regulations.

June 04, 2009 Page 4 of 5

14. TRANSPORT INFORMATION

DOT INFORMATION:

PROPER SHIPPING NAME: Non Bulk Not regulated

Bulk Petroleum distillates, n.o.s.

TECHNICAL SHIPPING NAME: Fuel and oil additive

HAZARD CLASS: Non Bulk ORM-D

Bulk Class 3

UN NUMBER: UN 1268

PRODUCT RQ (lbs): None

LABEL: Non Bulk ORM-D

Bulk Flammable Liquid

PLACARD: Non Bulk None

Bulk Flammable Liquid

FREIGHT CLASS BULK: PG III

FREIGHT CLASS PACKAGE: None

PRODUCT LABEL None

15. <u>REGULATORY INFORMATION</u>

TSCA STATUS: All ingredients listed.

CERCLA REPORTABLE QUANTITY: None

SARA TITLE III:

SECTION 302 EXTREMELY
HAZARDOUS SUBSTANCES
None

SECTION 311/312 HAZARD CATEGORIES

Acute Health Yes

Chronic Health Yes

Fire Yes

Reactive No.

Sudden Release of Pressure No

SECTION 313

CHEMICAL NAMECAS NUMBERCONCENTRATIONOrtho-dichlorobenzene00095-50-10 - 0.25 %

RCRA STATUS: If discarded in its purchased form, this product would be an ignitable waste with an EPA Hazardous Waste Number of D001. However, under RCRA, it is the responsibility of the product

June 04, 2009 Page 5 of 5

user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24)

CANADIAN STATUS: All materials contained in this product are listed on the Canadian Domestic Substances List.

EUROPEAN UNION: All materials contained in this product are listed on EINECS.

STATE REGULATORY INFORMATION

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

CAS NUMBER	CONCENTRATION	STATE CODE
p-dichlorobenzene	less than 150 ppm	CA
00106-46-7		

CA = Material known to the state of California to cause cancer and/or birth defects. (California Proposition 65).

16. <u>OTHER INFORMATION</u>

HMIS CLASSIFICATION	Health	2
	Flammability	2
	Reactivity	0
	PPI	В
NFPA RATING	Health	2
	Fire	2
	Reactivity	0
	Special	None
REASON FOR ISSUE	Review and update issue date	
PREPARED BY	Richard P. Kelly	
TITLE	Technical Manager	
APPROVAL DATE	June 04, 2009	
SUPERCEDES DATE	June 29, 2006	
REVISION NUMBER	#08	

This information is to the best of Marvel Oil Company's knowledge and belief, accurate and reliable. However, no representation, warranty, or guarantee is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitableness and completeness of such information for his own particular use.

Msdsmm10-5

June 04, 2009 Page 6 of 5