

Safety Information

MSDS

[TOP](#)

FSC:

9130

MSDS Date:

01/01/1985

MSDS Num:

BCHPW

Submitter:

N EN

LIIN:

00N001349

Tech Review:

08/16/1983

Status CD:

C

Product ID:

WIZARD CHARCOAL LIGHTER

MFN:

01

Article:

N

Kit Part:

N

Cage:

Responsible Party

HO014

Name:

BOYLE-MIDWAY,INC

Address:

685 3RD AVE 6TH FLOOR

City:

NEW YORK

State:

NY

Zip:

10017-4074

Country:

US

Emergency Phone Number:

N/P

Preparer's Name:

N/P

Proprietary Ind:

N

Review Ind: Y

Published: Y

Special Project CD: N

Summary

Contractor

[TOP](#)

Cage:

71112

Name:

BOYLE-MIDWAY HOUSEHOLD PROD AMERICAN HOME PRODUCTS

Address:

685 3RD AVE 6TH FLOOR

Box:

City:

NEW YORK

State:

NY

N/K

Zip:

10017-4074

Country:

US

Phone:

201-660-5000 1-800-544-5680

Cage:

HO014

Name:

BOYLE-MIDWAY,INC

Address:

685 3RD AVE 6TH FLOOR

City:

State:

Zip:

NEW YORK
Country:

Phone:

NY

10017-4074

US

UNKNOWN

=====
Ingredients
=====

[TOP](#)

Cas: 8002-05-9

M

SE7449000

M

Code:

RTECS #:

Code:

Name: PETROLEUM DISTILLATES (NAPHTHA OR RUBBER SOLVENT)

% Text: 100

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

400 PPM

Code: M OSHA
STEL:

Code:

ACGIH TLV: 400 PPM; 8990

Code: M ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas:

X

X

Code:

RTECS #:

Code:

Name: DYE

% Text: <0.1

Environmental Wt:

Other REC Limits: N/P

OSHA PEL:

N/P

Code: OSHA
STEL:

Code:

ACGIH TLV: N/P

Code: ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

=====
Hazards Data
=====

Health

[TOP](#)

LD50 LC50 Mixture

N/P

Route Of Entry Inds – Inhalation:N/P

Skin:N/P

Ingestion:N/P

Carcinogenicity Inds – NTP:N/P

IARC:N/P

OSHA:N/P

Health Hazards Acute And Chronic

N/P

Explanation Of Carcinogenicity

N/P

Signs And Symptions Of Overexposure

HARMFUL OR FATAL IF INGESTED

Medical Cond Aggravated By Exposure

N/P

First Aid

IF SWALLOWED DO NOT INDUCE VOMITING,CALL PHYSICIAN IMMEDIATELY

Spill Release Procedures

SECURE SOURCES OF IGNITION. PICK UP ON ABSORBANT MATERIAL.

Neutralizing Agent

N/P

Waste Disposal Methods

INCINERATE OR DISCARD IN ACCORDANCE WITH APPLICABLE REGULATIONS.

Handling And Storage Precautions

AVOID PROLONGED CONTACT WITH SKIN. STROE AWAY FROM HEAT OR FLAME. USE IN A WELL VENTILATED AREA.

Other Precautions

N/P

Flash Point Method:

N/P

Flash Point:

Flash Point Text: 112F/44C (TCC)

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits:

Upper Limits:

Extinguishing Media

CO*2,DRY CHEMICAL,FOAM

Fire Fighting Procedures

N/P

Unusual Fire/Explosion Hazard

N/P

Measures **Control** [TOP](#)

Respiratory Protection

N/P

Ventilation

N/P

Protective Gloves

N/P

Eye Protection

N/P

Other Protective Equipment

N/P

Work Hygienic Practices

N/P

Supplemental Safety and Health

N/P

Physical/Chemical Properties

[TOP](#)

HCC:

NRC/State LIC No: N/A

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: 345F/173

Melt/Freeze Pt:

M.P/F.P Text: N/A

Decomp Temp:

Decomp Text: N/A

Vapor Pres: N/P

Vapor Density: N/P

Volatile Org Content %:

Spec Gravity: 0.74

VOC Pounds/Gallon:

PH: N/P

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference: N/P

Solubility in Water: NEGLIGIBLE

Appearance and Odor: RED LIQUID WITH SLIGHT CHARACTERISTIC ODOR

Percent Volatiles by Volume: 100

Corrosion Rate: N/P

Reactivity Data

[TOP](#)

Stability Indicator:

YES

Stability Condition To Avoid: N/P

Materials To Avoid: N/P

Hazardous Decomposition Products: N/P

